

Vorraussetzung: [netzwerk](#) mit eth0 und eth1 getestet

```
ethtool eth0 | grep 'Link detected: yes'  
ethtool eth1 | grep 'Link detected: yes'
```

/etc/modprobe.conf.local : SLES 11SP1

/etc/modprobe.d/bonding.conf : CentOS 5

```
alias bond0 bonding  
options bonding miimon=100 mode=0 use_carrier=0
```

## SLES 11SP1

/etc/sysconfig/network/ifcfg-bond0 :

```
BOOTPROTO='dhcp4'  
STARTMODE='onboot'  
NAME='bonding device'  
BONDING_MASTER=yes  
BONDING_SLAVE_0='eth0'  
BONDING_SLAVE_1='eth1'
```

```
mv /etc/sysconfig/network/ifcfg-eth0{,.bak}  
mv /etc/sysconfig/network/ifcfg-eth1{,.bak}
```

```
service network restart
```

## CentOS 5

/etc/sysconfig/network/ifcfg-bond0 :

```
DEVICE=bond0  
ONBOOT=yes  
BOOTPROTO=dhcp  
USERCTL=no  
BONDING_OPTS="miimon=100 mode=0 use_carrier=0"
```

/etc/sysconfig/network/ifcfg-eth0 :

```
DEVICE=eth0  
BOOTPROTO=none  
ONBOOT=yes  
MASTER=bond0  
SLAVE=yes  
USERCTL=no
```

/etc/sysconfig/network/ifcfg-eth1 :

```
DEVICE=eth1
BOOTPROTO=none
ONBOOT=yes
MASTER=bond0
SLAVE=yes
USERCTL=no
```

```
service network restart
```

From:  
<https://wiki.lab.linuxhotel.de/> - **Linuxhotel Wiki**

Permanent link:  
[https://wiki.lab.linuxhotel.de/doku.php/admin\\_grundlagen:bonding](https://wiki.lab.linuxhotel.de/doku.php/admin_grundlagen:bonding)

Last update: **2012/07/03 23:04**

