

Vorraussetzung: [cron](#)

- /etc/logrotate.conf
- /etc/logrotate.d/*

Neue Logdatei zu logrotate hinzufügen

Debian 5.0

/etc/logrotate.d/ingo :

```
/var/log/ingo.log {
    compress
    size+=10
    postrotate
        /etc/init.d/rsyslog reload > /dev/null
    endscript
}
```

Ubuntu 12.04

/etc/logrotate.d/ingo :

```
/var/log/ingo.log {
    compress
    size+=10
    postrotate
        reload rsyslog >/dev/null 2>&1 || true
    endscript
}
```

SuSE 12.3

/etc/logrotate.d/ingo :

```
/var/log/ingo.log {
    compress
    size+=10
    nodateext
    postrotate
        service reload syslog
    endscript
}
```

CentOS 6

/etc/logrotate.d/ingo :

```
/var/log/ingo.log {
  size=+10
  dateformat %Y%m%d-%s
  sharedscripts
  postrotate
    /bin/kill -HUP `cat /var/run/syslogd.pid 2> /dev/null` 2> /dev/null ||
true
  endscript
}
```

testen

```
echo 12345678901234567890 >> /var/log/ingo.log
logrotate /etc/logrotate.conf
ls /var/log/ingo.log*
```

From:

<https://wiki.lab.linuxhotel.de/> - **Linuxhotel Wiki**

Permanent link:

<https://wiki.lab.linuxhotel.de/doku.php/lpi1:logrotate?rev=1405983856>

Last update: **2018/10/09 19:16**

